



MAX-FRESH
HOT/COLD SYSTEMS



Model AFCP-050

Model AFCP-067

Fractional Sized Cold Pans

Model

AFCP-050 (1/2 Size)

AFCP-067 (2/3 Size)

STANDARD FEATURES

- ❑ 1" recessed top edge to comply with NFS-7 requirements
Self contained drop-in design
- ❑ Model AFCP-50 holds a standard 12" x 10" 1/2 size or equivalent fractional pans
- ❑ Model AFCP-67 holds a standard 2/3rd size or equivalent fractional pans. Includes an adaptor bar to accommodate 2 each 1/3 size pans, 4 each 1/6th size pans or 6 each 1/9th size pans
- ❑ Stainless steel top and liner for maximum strength and durability
- ❑ On/off switch with 8' cord & plug for easy installation and operation
- ❑ Type 134A CFC free refrigerant
- ❑ Recessed ledge for pan support and colder, fresher products
- ❑ Quick & easy service with sight glass, service valves, filter/dryer and receiver
- ❑ Limited 1 year parts & labor warranty

OPTIONS & ACCESSORIES

- ❑ Perforated bottom strainer plate conveniently holds ice above drain to prevent clogging
- ❑ Remote models with or without condensing units
- ❑ Adaptor bars for fractional sized pans
- ❑ Remote on/off switch
- ❑ 220/230/240V
- ❑ 50 cycle

DESCRIPTION

USECO Refrigerated Drop-In Cold Pans hold pre-chilled food products at cold, fresh and safe serving temperatures. All models are completely self-contained 1/2 size fractional and 2/3 size fractional as well as in one to six-pan models with individual thermostatic controls, are CFC free and include an 8 ft. 120V cord and plug. Pans are recessed 1" to comply with NSF-7 performance requirements.

SPECIFICATIONS

Exterior – One-piece top flange and coved-corner interiors constructed of 18 gauge stainless steel. Exterior body constructed of heavy gauge, corrosion resistant steel. Condensing unit mounted on corrosion resistant frame below the cold pan.


Interior – CFC free foamed-in-place insulation through-out, 1" drain located in the center for easy cleaning. Ledge is recessed 1" and complies with NSF-7 requirements, allowing a layer of air to insulate food and for pan support.

Refrigeration – Air cooled, type 134A or 404A CFC free refrigerant system featuring wrapped coil construction on both sides and bottom, individual thermostats, on/off switch, 8 ft. cord and plug set NEMA 5-15P (120V models). Refrigeration system features sight glass, easy service valves, dryer/filter and receiver.




Model AFCP-050

shown below




PLAN VIEW
3/4" = 1'-0"


Note: Specifications are subject to change without notice and are not intended for installation purposes. See installation instructions prior to installing the unit.




SECTION VIEW
1" = 1'-0"



ELEVATION "A"
3/4" = 1'-0"



ELEVATION "B"
3/4" = 1'-0"



ISOMETRIC

SPECIFICATIONS

MODELS	DIMENSIONS [inches/[mm]]						
	OVERALL			INTERIOR		CUT OUT	
	A DEPTH	B WIDTH	C HEIGHT	D DEPTH	E WIDTH	F DEPTH	G WIDTH
AFCP-050	17 3/8 [441]	15 [381]	24 1/2 [622]	13 3/8 [339.7]	11 [279.2]	15 7/8 [403.2]	13 1/2 [349.9]
AFCP-067	17 3/8 [441]	18 1/2 [469.9]	24 1/2 [622]	13 3/8 [339.7]	14 1/2 [368.3]	15 7/8 [403.2]	17 [431.8]

SHIPPING INFORMATION

DIMENSIONS					
WEIGHTS		CARTON			CRATE FT ³ /[M ³]
SHIP	INSTALL	DEPTH	HEIGHT	WIDTH	
70 [31.8]	60 [27.2]	20 [508]	32 [812.8]	23 [584.2]	[8.5] .24
80 [36.2]	70 [31.8]	23 [584.2]	32 [812.8]	23 [584.2]	[9.8] .28

POWER SUPPLY

MODELS	VOLTS	HP	AMPS	PHASE	POWER	REFRIGERANT
AFCP-050	115	1/4	3.7	SINGLE	NEMA 5-15P	134A
AFCP-067	115	1/4	3.7	SINGLE	NEMA 5-15P	134A